Rectal Tube-Insertion

Policy and Procedure SGHC NP0392

Department of Nursing

Purpose

Relieve abdominal distention secondary to flatus.

Expected outcome

- 1. Abdomen is non-distended and soft.
- 2. Flatus has passed through rectal tube.
- 3. Patient states that distention and cramping are relieved.

Equipment

Rectal tube 22-36 French Water soluble lubricant Disposable gloves Waterproof absorbent pad Tape

Procedure

- Identify the individual by at least two sources from the list below: (Preferably in the order indicated)
 - Ask the patient to state his/her name and compared to the name on the MAR, Medical Record, photo, diagnostic testing request or order sheet
 - Ask the patient to state his/her birth date and compare this with the addressograph information
 - Compare the individual photograph (found on the MAR and in the chart) with the patient
 - Compare the information on the patient's wristband with addressograph information
 - Ask staff familiar with the patient to verify his/her identification
- 2. Wash hands.
- Provide privacy.
- Raise bed to appropriate working height. Put side rail up on opposite side of bed.
- Ask patient to turn onto left side and assume side lying or Sim's position. Assist patient as necessary. Keep patient draped except for rectal area.
- 6. Put on disposable gloves.
- 7. Place waterproof pad (chux) along buttocks.

- 8. Lubricate tip of rectal tube generously.
- Take care to expose patient minimally. Gently separate buttocks, locate anus, and ask patient to take deep breath and slowly exhale through mouth.
- Insert tip of rectal tube slowly, pointing it in direction of umbilicus, 15cm (6 inches).
- 11. After inserting tube, tape it to lower buttock.
- 12. Allow rectal tubing to remain in place for no longer than 30 minutes. Ensure bed is on lowest position.
- 13. Remove gloves and wash hands after leaving bedside.
- Don gloves and remove rectal tube.
 Clean patient's rectal area. Note characteristics of drainage from rectal tube.
- 15. Return patient to comfortable position.
- Dispose of used supplies, remove gloves, and wash hands.
- Record amount, color, and consistency of expelled contents and response to procedure.

Approved by

Prisca Njume-Mbulle, DNP, MSN, BSN, RN Date
Chief Nursing Officer

Marie Rose Alam, M.D., FAPA, Acting Chief Executive Officer 6/23/22___ Date

Revised: 3/92, 10/98, 1/10/06, 3/09, 4/12 Reviewed: 9/94, 12/08, 10/15, 4/18, 6/22